

This form must be submitted to The Registrar at least 2 working days in advance of the cremation.

BOOKING REFERENCE NUMBER	CREMATION NUMBER

Falkirk Road, Bannockburn, Stirling FK7 8AJ

**Tel:** 0178 648 4710 **Fax:** 0178 648 4719 **Email:** stirlingshire@westerleighgroup.co.uk

PRELIMINARY APPLICATIO	N FOR CREMATION	
Date And Time Cremation Service R	lequired:	
DAY	DATE	atam/pm
DETAILS OF DECEASED		
Surname	Forenames	Age
		Post Code
SERVICE ARRANGEMENTS	- All music requests must be submitted a	t least 48 hours prior to the service.
Religious Denomination or other	Name of Minister	-/Officiant
FULL SERVICE   COMMITTAL	□ PRIVATE CREMATION □ ORGA	NIST REQUIRED   DONATIONS
, ,	JSB RECORDING DVD RECORDING	
CURTAINS / VOILE INSTRUCTIONS:	STAY OPEN  UVOILE ONLY TO	CLOSE  BOTH TO CLOSE
RESERVED SEATING	ROWS REQUIRED	
MUSIC REQUESTS - Music, Hy	mns, Special requests (if known):	
·	os://www.obitus.com/index.php?page=mu sic to be built up and sent to the Cremato	
ENTRY:	COMMITTAL:	
DURING:	EXIT:	
DURING:	OTHER:	
NOTE: Some tracks may need to be	ordered 48 hours before the service	
Special orders may be placed on the	website Special order number	
Please note that cassette-playing or I	JSB facilities are not available and it is stror	ngly advised that copied CD's are not used.
ENVIRONMENTAL MEASUF	RES	
removed at the discretion of the Cr does not accept any responsibility f	y for a minimum of three nights following the ematorium Authority for disposal, unless oth for floral tributes left at the crematorium follo nd tied floral arrangement is permitted for cr	erwise instructed. Stirlingshire Crematorium owing a funeral service or placed in the Garden
b) Disposal of orthopaedic implants a distributed amongst Westerleigh C	nd metal residues – All metals retrieved will b	be sensitively recycled. Proceeds will be nvironmental initiatives which will benefit the

c) All Cremations will be carried out within 48 hours of the Service in accordance with FBCA Code of Practice.

# **OUR SERVICES**

- A) Our services to you include our cremation services and associated services.
- B) We will contact you after the cremation service to give you the opportunity to share any comments on how we could improve our services, and to provide you with information regarding additional service and assistance that we offer and believe may be of interest to you. Should you prefer, you may exercise your right to refuse use of your contact details for these purposes by emailing **DPO@westerleighgroup.co.uk**

# **DECLARATION / AUTHORISATION**

I authorise the Crematorium Manager to carry out the instructions listed within this document.

I understand that the crematorium will hold my details for the use in statutory registers and client database. All such details and any other information that we hold about you will be held by us in accordance with our privacy policy which is available to view at https://www.stirlingshirecrematorium.co.uk/PrivacyNotice.pdf

I HEREBY UNDERTAKE to abide and be bound by the general instructions, rules and regulations of the Stirlingshire Crematorium and I absolve the Crematorium from any legal or other responsibility through any accident arising to any Urn or Memorial of the deceased, or through the destruction of the Crematorium by fire, civil tumult, the act of God, or through any other causes whatsoever, and also for any delay or inconvenience in the arrangements for cremation.

thout assigning any reason.
UM
ed Person 🔲
(Date)

Ashes Scattered ......(Date)

Location .....

## PARTICULARS TO BE SUPPLIED BY THE FUNERAL DIRECTOR

## 1. NOTICE OF CREMATION

The Funeral Director will book the service directly or online with the crematorium, giving sufficient notice as agreed with the Crematorium Manager and provide all statutory paperwork at least 2 working days in advance of the cremation service.

## 2. CONSTRUCTION OF THE COFFIN

The coffin must be made of a suitable material, which when placed in a cremator and subjected to the cremation process, is easily combustible and which does not emit smoke, give off toxic gas or leave any retardant smears or drips after final combustion. No metal of any kind including metal furniture, handles or fittings whatever shall be used in the manufacture of such coffin except as necessary for its safe construction and then only metal of a high ferrous content. Cross pieces must not be attached to the bottom of the coffin, if strengthening is required, wooden strips may be placed lengthways for this purpose.

External coatings to a coffin must allow for a smokeless combustion and the use of nitro-cellulose varnish, polyurethane, melamine and any products containing polyvinyl chloride (PVC) or melamine must not be used. Water based lacquer free from additives containing heavy metals may be used for coating a coffin. The exception to the foregoing is the use of polystyrene which is restricted to the coffin nameplate only and which must not exceed 90 grams in weight.

Cardboard coffins should not contain chlorine in the wet strength agent. (E.g. not using polyamidoamine-epichlorhydrin based resin (PAA-E). Contact should be made with the Crematorium Administration to ensure that the coffin selected is fit for purpose.

Papier-Mache coffins are NOT suitable for c	remation.	
Type of Coffin: Traditional 🔲	Cardboard	Other:
2 LINING OF THE COFFIN		

#### LINING OF THE COFFIN

The use of sawdust, cotton wool or paper within a coffin must be avoided. If lining of a coffin is necessary, this should be manufactured from polythene not exceeding 75 microns in thickness. Lead or zinc linings must not be used. The use of shredded paper within a coffin is not permitted.

## 4. SIZE OF THE COFFIN

Where the external dimensions of a coffin including all handles are likely to exceed: length 81in; width 26in; depth 22in, the Crematorium must be contacted as soon as practicable.

#### 5. CLOTHING AND COFFIN CONTENT

In order to minimise the release of pollutants to air, it is recommended that the deceased clothing should be of natural fibres and that shoes or material manufactured from PVC should not be included. Body adornments manufactured from copper should be removed as should any removable prostheses or casts of plaster or other material. Additional items, particularly of glass or plastic and metal of any kind should not be placed within a coffin.

## 6. RESPONSIBILITY

The Funeral Director shall observe the Regulations of the Cremation Authority. The Funeral Director is responsible for the provision of sufficient Bearers to convey the coffin from the Hearse to the Catafalque. When the coffin is in position on the Catafalque or deposited in the Rest Room or Chapel of Rest at the Crematorium, the responsibility of the Funeral Director towards it ceases and that of the Cremation Authority begins.

It is the responsibility of the Funeral Director to convey all flowers to and from the chapel. Whilst it is the Funeral Directors responsibility to distribute Orders of Service we will, where possible, assist.

## 7. CREMATION OF PREGNANCY LOSS, STILLBIRTH, NEO-NATAL AND INFANT DEATHS

This Cremation Authority wishes it to be known that it considers the interests of the bereaved family and baby in our care to be the central focus of our attention. This will be reflected in all our administrative and operational practices and procedures.

## Definition of 'Ashes'.

Whilst our employees might use the term "ashes" and "cremated remains" we deem these to be one and the same, and are defined in the Burial and Cremation (Scotland) Act 2016 as "the material (other than any metal) to which human remains are reduced by cremation".

It is important that this is made clear to the parents so that they are aware of the facts, especially as they may, as a result, prefer earth burial. For further information, please refer to our previously distributed document, Westerleigh Infant Cremation Policy.

# 8. Cremated Remains

Cremated Remains or Ashes (including Pet Ashes) must not be placed within a coffin as they can cause problems to the cremator and are at risk of being lost or diminished during the cremation process

# 9. DECLARATION

I have read and understand these requirements and agree to abide by them. I confirm that the coffin to be presented at the above stated date and time has been constructed in accordance with these instructions.

Funeral Directors	. Date
Signed On behalf of the above	Print Name

# **NOTES**